G R S App [illegible] [X 4]

Previous References

1942-43
(Municipal)

File No 10-43

Serial Nos 1100441

Later References

GENERAL AND REVENUE SECRETARIAT

Serial Nos 2

Part B for Jan 1943

SUBJECT

Deputation of the Executive Engineer Irrigation Dn to Allahabad, Patna etc to study the ferrule system of in operation there

43) The municipal comm Bangalore's No L 1205 Dated 29.7.43 states that it is not necessary to depute him at Govt cost for the purpose

Jan 1944 1943

Letter No A.L.1277/42 & 24-6-43 from Chief Engineer, Bovis requesting sanction to the deputation of the Executive Engineer, water Supply Division Bangalore to Allahabad & Patna & other places to study the ferrules system in operation there.

The ml Govt want to depute the Executive Engineer, water Supply Division Bangalore to Allahabad, Patna & other places at the Cost of the Govt

The Financial Secy will also be consulted.

Submitted for orders.

27/7 Jal The question of giving a trial to the ferrule system of controlling the water supply in Municipalities as obtained under the conditions of Govt The resolution of the Municipal Council in this behalf has been submitted separately for orders. Till the question is settled, perhaps the proposal above referred to may be held over There does not appear to be any necessity to depute the Executive Engrs to the cities referred to above at present for studying the system

Law Secy

SECY LAW DEPT GP 27/7/43 GOVT MADRAS

Continuation Sheet | File No / Current No 1279/1 | of | Page

OFFICE OF THE MINISTER FOR PUBLIC WORKS
19 JULY 1943
No 397

OFFICE OF THE MINISTER FOR L S G & P H
Date 5 7 43
No 126

SECRETARY TO GOVERNMENT
Date 20 JUL 1943
P W ELECTL & MCH

P W SECRETARIAT
366
Date 17/7/43

SECRETARY TO GOVERNMENT
Date 21 JUL 1943
SECTION

Encl yours approved
will be returned as
suggested by Engineer-in-Chief
Superintending Engr. Coy
especially leaving his work
well.

Min 2 SG

3-7-43

3/7/43

13/7/43

17/7/43

Submitted with a draft letter for a/s/c
for personal reference

Secy P W Dept 17/7/43

Min 2818 for Asst for personal

17/7

20.7

20/7/43 Law Secretary

WD 1140—GPB—50 000—5-11-42

With Compliments

21/7/43

141 To The ML Comm, Brig ~~Thos Dds~~
NO L 1205 Dy 29-4-43
States that Govt do not consider it
necessary to deport him at Govt
cost for the present
To The Chief Engineer
NO L 1206 Dy 29-7-43
Forwards a copy of the above

B
18

Continuation Sheet | File No / Current No | of | Page

WD 1140—GPB—50 000—5-11-42

BANGALORE CITY MUNICIPALITY

7879

No A1-1277-42 10-42-140 MUNICIPAL OFFICES

Encl One Bangalore 24th June 194 3

FROM P Suryanarayana Setti, Esq., B A , LL B ,
~~ABDUL AZIZ KHAN, ESQ~~
MUNICIPAL COMMISSIONER
Bangalore City

GEN & RFV SECRETARIAT 28 JUNE 1943 L S G BRANCH

DEPT 29 JUN 1943 TO

Narayanaswamy Naidu, Esq , B A , B L ,
SECRETARY TO THE GOVERNMENT
OF HIS HIGHNESS THE MAHARAJA OF MYSORE
LAW DEPARTMENT, BANGALORE

SIR,

I have the honour to state that the Municipal Council have resolved at their meeting held on 29-4-1943, that the executive Engineer, Water Supply Division, Bangalore City, might be deputed at the cost of the Government to Allahabad, Patna and other places to study the ferrules system in operation there A copy of the resolution is herewith forwarded for favour of obtaining the orders of the Government thereto

I have the honour to be,
SIR,
Your most obedient servant,

Forwarded with compliments

V K Ramachandra Iyer

P Suryanarayana Setti
Municipal Commissioner

mlt

Minutes of the Proceedings of the Special Meeting of the City Municipal Council, Bangalore, held on the 26th April 1943 at 4 P M in the Council Chamber of the City Municipal Offices, Bangalore

---

Present

Messrs		Messrs	
1	W H Hanumanthappa	9	K Ganga Setty
2	R Subbanna	10	K N Ramaswamy,
3	T L Gangoji Rao	11	M A Gopalaswamy Iyengar,
4	Ramalal Thiwari	12	P R Rajiah, B Sc
5	L S Raju, M A (Hons) B.L	13	C Krishna Rao
5	V Venkataramanappa	14	B Subbiah, B Sc ,
7	T Gangadharaswamy	15	R A Basith
8	V Venkataswamy Chetty	16	H B Mohamed Khan

17 Dr M Royan, M D

Absent

Messrs		Messrs	
1	G Nanjappa	7	M K Narayana Iyengar, B A , B L
2	K Hanumanthaiya, B A , LL B	8	M Krishnaswami Pillay
3	B S Shankarappa Setty	9	Kota Ramakshiah Setty
4	K Shamarajaiengar, B A	10	Mirza Azeezulla Beig
5	C N Narasinga Rao, B A , B L	11	V Chikkayallappa
6	H.R Guruva Reddy, B A , LL B	12	Mohamed Ghouse

With the permission of the House, the President advances subject No 2 on the Agenda and while doing so, said that the Council had resolved to remove meters from all those houses where the consumption of water was less than the minimum free supply, with a view to fix the meters so removed to houses where consumption was more Since such a policy was not quite just and proper, it was better they thought out a suitable policy in this behalf He said that Mr C N Shama Rao who was present in the meeting that day, had suggested the introduction of the Ferrule System in place of the existing meter System and that this would mean savings to the Municipality He then requested the Executive Engineer, Water Supply Division to explain the system to the House

Mr C N Shama Rao observed that if he was given sufficient time, he would demonstrate to the House how they could save money under the ferrule system He said that under the present system, the Municipality was paying nearly Rs 5,05,000/- towards water, that they had only 15000 un-meteres connections in the City and were paying an excess water charges of Rs 50,000/- annually, while they were not realising so much from rate payers for the excess

out, it was not advisable to remove the meters already fixed As regards the ferrule system, they may try it on some place and find out if it would be useful.

Mr. Ramalal Thiwari opposing the ferrule system said that since they had already resolved to remove meters from houses where consumption was low, they might do so early, so that the available meters might be fixed in new houses On account of the present war Conditions, the times were not suited to try new systems

Mr. C Krishna Rao supporting the ferrule system said that wide publicity should be given of the advantages of the system clearly stating the amount of water every house can get under that system It must also be notified that the Municipality would not collect extra charge for the water under the new system

Mr W H Hanumanthappa suggested that the Executive Engineer Water Supply Division may be deputed to places where the new system was working so that he may get a practical knowledge of that system In the meantime, the President may get into touch with Tumkur regarding the meters there and ascertain their cost etc., and this may be kept as reserve It was not worthwhile disturbing the existing meters to try a new system

At this stage, Mr [illegible] Shama Rao said that about 300 meters would be available and they might be purchased and fixed up Dr Royan supported this idea and said that the 600 meters may be purchased immediately Mr P.R Ramiah also endorsed this view

Mr B Subbiah wanted all the 650 meters to be purchased and fixed up to as many houses as possible

Then it was unanimously agreed that the entire lot available may be purchased

Sd V K Govindarajulu,
Hon President

"Copy"

T Sivasubramania Iyer
Municipal Commissioner.

Appendix F G —1]

SUBJECT

Diary No of letter replied to 7879

General and Revenue Secretariat

( )

the 194

Date of issue 29/7

Signed by Mr. G. N. Rao

List of enclosures

Copied by

Examined by

Section ML

File No 10-4L

Serial No 141

No A/1205

To

The ML Comm, Bridge Thro PWD

Sir,

With reference to your letter NO AI 1277/42 & 24-6-43 re. the deputation of the Executive Engineer, Water Supply Division, Bangalore to Allahabad & Patna & to other places to study the ferrules system in operation there, I am directed to state that Govt do not consider it necessary to depute him at Govt cost for the purpose

Yours etc

for

Dy Secy to Govt

Law Dept

29/7

A/1206 WD 04161—GPB—60 000—24 10 41

Memo copy forwarded to the Chief Engr for information

for Secy to Govt

Law Dept

29/7